IN THE CLAIMS:

The following is a complete listing of claims in this application.

Claims 1-39 (canceled).

40. (currently amended) An imidazole derivative of formula (I):

$$R_3$$
 R_4
 R_1
 R_2
 R_3
 R_4
 R_4
 R_1
 R_2
 R_2
 R_3
 R_4
 R_4

and acid addition salts and stereoisomeric forms thereof, wherein :

- R_1 and R_2 are each independently hydrogen, or a (C_1 - C_6)alkyl;
- Q is selected from the group consisting of a direct link C(0), SO_2 , CONH, C(0) $(CH_2)_n$, $(CH_2)_n(0)$ and $(CH_2)_n$, where n is 0, 1 or 2;
- Z is the group

$$R_8$$
 $(R_9)_p$

- one of R_3 and R_8 is hydroxy, cyano, (C_1-C_6) alkoxy or $OSO_2NR_{10}R_{11}$; and
- the other of R_3 and R_8 is hydrogen or a hydroxy, halogen, nitro, cyano, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$, $OSO_2NR_{10}SO_2NR_{11}R_{12}$ group,

- R_4 is hydrogen and R_9 is hydrogen, hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, acyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$, or CO_2R_{10} group,
- R_{10} , R_{11} and R_{12} are each independently hydrogen or a (C_1 - C_6) alkyl;
- p is 1, 2, 3 or 4;
- when p is 2, 3 or 4, each R_9 can be the same or different;
- when p=1, R_8 and R_9 together with the phenyl ring bearing them can also form a benzoxathiazine dioxide, or a dihydrobenzoxathiazine dioxide, or benzoxathiazole dioxide;
- n is 0, 1, 2, 3 or 4;

• p is 1, 2, 3 or 4;

with the proviso that when Q is $(CH_2)_n$, n is 0, 1 or 2 and 1) when p is 1, then one of R_3 and R_8 is hydroxyl or a $OSO_2NR_{10}R_{11}$ group;

- $\underline{2)}$ when p is 2, 3 or 4, $\underline{\text{then}}$ each R_9 is other than hydrogen and can be the same or different; and
- 3) when p is 2, then each R_9 is hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, trifluoromethyl, acyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$ or CO_2R_{10} group;
- R_{10} , R_{11} and R_{12} are each independently hydrogen or a (C_1 - C_6) alkyl.
- 41. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- one of R_3 and R_8 is cyano; and
- the other is hydrogen or a hydroxy, halogen, nitro, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$ group. Claim 42 (canceled).

- 43. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- R_9 is hydrogen or a hydroxy, cyano, halogen, nitro, (C_1 - C_6) alkyl, (C_1 - C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} , CHO, $NR_{12}SO_2NR_{10}R_{11}$ group.
- 44. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- R_9 is hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} , or CHO. Claim 45 (canceled).
- 46. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:

• Z is

$$R_8$$
 $(R_9)_p$

- Q is $(CH_2)_n$ in which n 0, 1 or 2;
- R_8 is hydroxy, halogen, nitro, cyano or a (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, or $NR_{12}SO_2NR_{10}R_{11}$ group; and
- R_9 is hydrogen, hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, or $OSO_2NR_{10}R_{11}$.
- 47. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n is 0 or 1; and
- R_9 is hydrogen, halogen, (C_1-C_6) alkoxy, acyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$ or $NR_{12}SO_2NR_{10}R_{11}$.

- 48. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n is 0 or 1;
- R_1 and R_2 are each hydrogen; and
- R_9 is hydrogen, halogen, (C_1-C_6) alkyl or $OSO_2NR_{10}R_{11}$.
- 49. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n and p are 1;
- R_8 is a hydroxy, halogen, nitro, cyano, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$ or $OSO_2NR_{10}SO_2NR_{11}R_{12}$ group;
- R_9 a hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} or CHO group; and
- R_3 is cyano, hydroxy, or $OSO_2NR_{10}R_{11}$.
- 50. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein one of R_3 and R_8 is hydroxy, cyano or $OSO_2NR_{10}R_{11}$ and the other of R_3 and R_8 is hydroxy, nitro, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$ or $NR_{12}SO_2NR_{10}R_{11}$.
- 51. (previously presented) A derivative according to claim 50, and acid addition salts and stereoisomeric forms thereof, wherein one of R_3 and R_8 is cyano or $OSO_2NR_{10}R_{11}$ and the other is hydroxy or $OSO_2NR_{10}R_{11}$.
- 52. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein R_{10} and R_{11} are hydrogen.
- 53. (previously presented) A compound according to claim 40, or a pharmaceutically acceptable salt thereof for use as an active therapeutic substance.

- 54. (previously presented) A pharmaceutical composition comprising a derivative according to claim 40, or a pharmaceutically acceptable acid addition salt thereof, and a pharmaceutically acceptable carrier.
- 55. (previously presented) The pharmaceutical composition according to claim 54, comprising from 0.1 to 400 mg of said derivative.
- 56. (previously presented) An imidazole derivative according to claim 40, which is selected the group consisting of:
- 4-[N-(1H-imidazol-1-yl)-N-(4-methoxyphenyl)amino]methylbenzonitrile,
- 4-[N-(4-hydroxyphenyl)-N-(1H-imidazol-1-yl)amino]methylbenzonitrile,
- 4-[N-(4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile
- 4-[N-(3-chloro-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-[N-(3-bromo-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-[N-(4-hydroxy-3-methoxyphenylmethyl)-N-(1H-imidazol-1-yl)amino] benzonitrile,
- 4-[N-(2,3,5,6-tetrafluoro-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino] benzonitrile,
- 4-[N-(3-formyl-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)amino]methyl}benzene sulphonamide,
- 4-[N-(4-hydroxy-3-nitrophenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,

- 4-[N-(1H-imidazol-1-yl)-N-(4-nitrophenyl)amino]benzonitrile,
- N-(1H-imidazol-1-yl)-N-(4-cyanophenyl)-2-(4-fluorophenyl)acetamide,
- N-(1H-imidazol-1-yl)-N-(4-cyanophenyl)-2-(4-hydroxyphenyl)acetamide,
- N-(4-cyanophenyl)-3-(4-hydroxyphenyl)-N-(1H-imidazol-1-yl) propanamide,
- N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)-4-(phenylmethoxy)-benzensulfonamide,
- 4-[N-(3-amino-4-hydroxy-phenylmethyl)-N-(1H-imidazol-1-yl)amino] benzonitrile,
- $4-\{N-[2-(4-hydroxyphenoxy)ethyl]-N-(1H-imidazol-1-yl)amino\}$ benzonitrile,
- N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)-4-hydroxybenzensulfonamide,
- 4-[N-(4-aminophenyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- Sulfamic acid 4-[N-(4-cyanophenylmethyl)-N-(1H-imidazol-1yl)amino]phenyl ester,
- Sulfamic acid-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-chloro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-bromo-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester, hydrochloride,
- Sulfamic acid 2-methoxy-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,
- Sulfamic acid 2,3,5,6-tetrafluoro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,

- 4-[N-[(2,2-dioxido-1,2,3-benzoxathiazin-6-yl)methyl]-N-(1H-imidazol-1-yl)amino] benzonitrile,
- N-{4-[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)amino]phenyl}sulfamide,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]sulfonyl}phenyl ester hydrochloride,
- Sulfamic acid $4-\{2-[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]ethoxy\}$ phenyl ester,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)-carbamoyl]-methyl} phenyl ester,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]-3-oxopropyl} phenyl ester,
- Sulfamic acid 3-(aminosulfonyl)amino-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- 2-Bromo-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl amidimidodisulfate acid,
- 4-[N-[(2,2-dioxido-3,4-dihydro-1,2,3-benzoxathiazin-6-yl)methyl]-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 5-{[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)amino]methyl}-2-hydroxybenzoic acid,
- 4-[N-(1H-imidazol-1-yl)-N-(phenyl)amino]benzonitrile,
- 4-[N-(3-tosylamino-4-hydroxy-benzyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-[N-[(2,2-dioxido-3-tosyl-3H-1,2,3-benzoxathiazol-5-yl)methyl]-N-(1H-imidazol-1-yl)amino]benzonitrile,
- $4-[N-[(2,2-\text{dioxido}-3H-1,2,3-\text{benzoxathiazol}-5-\text{yl})\,\text{methyl}]-N-(1H-\text{imidazol}-1-\text{yl})\,\text{amino}]\,\text{benzonitrile, and}$
- N-(4-cyanopheny)-N-(1H-imidazol-1-yl)-N'-phenylurea_
- 4-[N-(1H-imidazol-1-yl)-N-(4ethoxyphenyl)amino]methylbenzonitrile, and

- 4-[N-(4-hydroxyphenyl)-N-(1H-imidazol-1-yl)amino]methylbenzonitrile.
- 57. (previously presented) An imidazole derivative according to claim 40, which is selected from the group consisting of:
- Sulfamic acid 4-[N-(4-cyanophenylmethyl)-N-(1H-imidazol-1yl)amino]phenyl ester,
- Sulfamic acid-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-chloro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-bromo-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester hydrochloride,
- Sulfamic acid 2-methoxy-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,
- Sulfamic acid 2,3,5,6-tetrafluoro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,
- 4-[N-[(2,2-dioxido-1,2,3-benzoxathiazin-6-yl)methyl]-N-(1H-imidazol-1-yl)amino] benzonitrile,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]sulfonyl}phenyl ester hydrochloride,
- Sulfamic acid 4-{2-[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]ethoxy} phenyl ester,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)-carbamoyl]-methyl} phenyl ester,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]-3-oxopropyl} phenyl ester, and
- Sulfamic acid 3-(aminosulfonyl)amino-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester.
- 58. (previously presented) An imidazole derivative according to claim 40, which is sulfamic acid 2-bromo-4-{[N-

(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester hydrochloride.

59. (previously presented) $5-\{[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)amino]methyl\}-2-methoxybenzoic acid.$